


# LICENCE TO KILL



## MAGNUM® Lice Management Plan

# Treating with MAGNUM and following our 10 Point Lice Management Plan will control lice GUARANTEED

## 10 Point Lice Management Plan

1	Shear and treat all sheep at one time. Avoid split-shearing and treating sheep unless the different mobs are completely separated.
2	Shear with flat or cover combs. Ensure sheep are cleanly shorn, ensuring no tufts of wool remain.
3	Read the label and treat in accordance with the label recommendations.
4	Treat all sheep annually within 24 hours of shearing.
5	Ensure that the applicator is checked and calibrated to the recommended dose.
6	Apply product with a T-Bar from the poll (between the ears) to the tail down the middle of the backline. Do not deviate from the spine. If you are unable to apply product evenly all the way down the backline using the label dose, increase the dose to ensure the entire backline area is covered. 
7	Treatment must be done at least 3 weeks prior to lambing. If it is later than this there is a risk lice may be transferred on to lambs.
8	Do not mix treated sheep with untreated sheep.
9	Maintain a stock-proof boundary. Stock proof fences are essential to prevent reinfestation from outside sources.
10	Prevent reinfestation of lice by treating introduced sheep and quarantining them from all other sheep until they have been shorn and treated at least once off-shears.

In the unlikely event that you find lice on your treated sheep please contact customer services on 0800 800 543 and we will investigate.

To see our full product range please visit  
our website [www.spah.co.nz](http://www.spah.co.nz)

For more information or for a copy of  
*Lice Advice: A Farmer's Guide to Lice Control*  
phone customer service 0800 800 543.

MAGNUM is eligible for:



Registered pursuant to the ACVM Act 1997, No A7704.®Registered trademark. Schering-Plough Animal Health Limited, 33 Whakatiki Street, Upper Hutt, NZ. Phone: 0800 800 543. MAG-240-2009.